

# Industrial Mill

BALL MILL



**Liming Heavy Industry**  
[www.break-day.com](http://www.break-day.com)



# Industrial Mill

## BALL MILL

### Overview

The ball mill is a key equipment to grind the crushed materials, and the ball mill is widely used in powder-making production line including cement, silicate, new-type building material, refractory material, fertilizer, ore dressing of ferrous metal and non-ferrous metal, glass ceramics, etc, and the ball mill can grind various ores and other materials with dry type and wet type. There are two kinds of ball mill, grate type and overfall type due to different ways of discharging material.



# Industrial Mill

## BALL MILL

### Working Principle

The ball mill is a horizontal rotating device transmitted by the outer gear. The materials are transferred to the grinding chamber through the quill shaft uniformly. There are ladder liner and ripple liner and different specifications of steel balls in the chamber. The centrifugal force caused by rotation of barrel brings the steel balls to a certain height and impact and grind the materials. The ground materials are discharged through the discharging board thus the grinding process is finished.



### Specifications

Model	Speed of bucket (r/min)	Weight of ball (t)	Size of feed opening (mm)	size of outputting feed (mm)	Production (t/h)	Power (kW)	Weight (t)
Φ900×1800	42	1.4	≤20	0.075-0.89	0.65-2	18.5	3.6
Φ900×3000	41	2.5	≤20	0.075-0.89	1.1-3.5	22	4.5
Φ1200×2400	36	3.5	≤25	0.075-0.6	1.5-4.8	30	11.5
Φ1200×3000	32	5	≤25	0.075-0.4	1.6-5	45	12.8
Φ1200×4500	32	5.5	≤25	0.075-0.4	1.6-5.8	55	13.8
Φ1500×3000	31	6.8	≤25	0.075-0.4	2-7	75	17
Φ1500×4500	27	10.5	≤25	0.075-0.4	3.5--8	110	21
Φ1500×5700	27	15	≤25	0.075-0.4	3.5-10	132	24.7
Φ1830×3000	26	13	≤25	0.075-0.4	4-12	160	28
Φ1830×6400	26	23	≤25	0.075-0.4	6.5-15	210	34
Φ1830×7000	26	25	≤25	0.075-0.4	6.5-22	210	36
Φ2200×5500	21	30	≤25	0.075-0.4	10-22	370	48.5
Φ2200×6500	21	30	≤25	0.075-0.4	14-50	380	52.8
Φ2200×7500	21	33	≤25	0.075-0.4	16-50	380	56
Φ2200×9500	21	38	≤25	0.074-0.4	18-60	475	62

**Notice:** Any change of Ball Mill technical data shall not be advised additionally.



## Contact us

Tel: 0086-371-67992899

0086-371-67371699

Fax: 0086-371-67992699

E-mail: [info@limingco.com](mailto:info@limingco.com)

MSN: [SalesCrusher@hotmail.com](mailto:SalesCrusher@hotmail.com)

[www.break-day.com](http://www.break-day.com)

