


# Belt Conveyer

500MM-1200MM



**Liming Heavy Industry**  
[www.break-day.com](http://www.break-day.com)



# Belt Conveyor

## Features

### 500MM-1200MM

Belt conveyor is a kind of machine that to transfer the material continuously. The belt works under the effect of frictional force. It is not only the components to transfer the material, but also the components to transfer the force.

The belt conveyor is advanced and simple in structure, easy to maintain. Its transfer capacity is high, transfer distance is long. They are widely used in mining, metallurgical and coal industry to transfer sandy or lump material, or packaged material. In many situation, it is a very important component of nonstandard machinery.

The conveyers which are produced by BREAK-DAY consist of standard parts, which are advanced and simple in structure, easy to maintain. They are widely used in mining, metallurgical and coal industry to transfer sandy or lump material, or packaged material. According to different transferring equipment, the transfer system can be one independently or multi-conveyers or combined with other transfer equipments. The belt conveyor can be installed horizontally or aslope to meet the needs of different transfer lines.

The belt conveyers produced by BREAK-DAY can be operated in the circumstance temperature range from -20°C to +40°C. The temperature of transferred material by this belt conveyor should be lower than 50°C.



## Specifications

Belt Width(mm)	Belt Length (m) / Power (kW)			Belt Speed (m/s)	Capacity (t/h)
500	≤12/3	12-20/4-5.5	20-30/5.5-7.5	1.3-1.6	45-100
650	≤12/4	12-20/5.5	20-30/7.5-11	1.3-1.6	70-120
800	≤10/4	10-15/5.5	15-30/7.5-15	1.3-1.6	120-180
1000	≤10/5.5	10-20/7.5-11	20-40/11-22	1.3-2.0	160-250
1200	≤10/7.5	10-20/11	20-40/15-30	1.3-2.0	200-400

**Contact us**

Tel: 0086-371-67992899

0086-371-67371699

Fax: 0086-371-67992699

E-mail: info@limingco.com

MSN: SalesCrusher@hotmail.com

www.break-day.com

